



zero-in™

797-A

POWDERED INSECTICIDE

A desiccant dust. Provides quick control. Kills up to 6 months when left undisturbed. Non-staining and relatively odorless.

ACTIVE INGREDIENTS:

Pyrethrins.....	1.0%
*Piperonyl Butoxide.....	10.0%
Amorphous silica gel.....	40.0%
**Other INGREDIENTS:.....	49.0%
TOTAL.....	100.0%

*(butylcarbonyl) (6-propylpiperonyl) ether and related compounds

**Contains Petroleum distillate

KEEP OUT OF REACH OF CHILDREN CAUTION

EPA Reg. No. 432-992-70799

EPA Est. No. 70799-OH-2

**Net Contents:
2.82 OZ (80 g)**

FIRST AID

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Immediately call a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Hotline Number: 1-866-747-2229 [Pyrethroid]

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment (PPE) Loaders, applicators, and other handlers must wear the following: long-sleeved shirt and long pants; shoes and socks; and chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or viton.

User Safety Requirements Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-waters or rinsate. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original sealed container in a cool, dry place inaccessible to children and pets.

CONTAINER HANDLING: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONS AND RESTRICTIONS • Do not enter or allow others to enter until dusts have settled.

• Remove and cover exposed food and drinking water before application. • Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use. • Except when applying to sewers or drains as instructed on this label, do not apply directly to sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.

• Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. • Aerial applications are prohibited.

• Applications with power duster equipment are prohibited. • Only apply as a spot treatment to areas no greater than 2 feet by 2 feet per room. • Do not use in aircraft cabins.

SEWER TREATMENTS: American and Oriental Cockroach infestations in sanitary sewers may be treated with approximately 6 ounces of product per manhole. When treating sewers, one manhole per 200 feet of line should be treated. Treatments are made by removing the manhole cover and replacing with a disc of plywood bored to receive the usual flexible hose from portable or truck-mounted ventilating equipment. 6 ounces of product is introduced into the ventilating air to be dispersed quickly and thoroughly through the system.

BEDBUGS: Take bed apart. Dust into joints and channels. If hollow, such as square or round tubing, see that the interior of framework is well dusted. Mattresses should be dusted, especially tufts, folds, and edges. Picture frame moldings and all cracks and crevices in the room should be treated.

DRYWOOD TERMITES: To protect against entrance, using a hand operated rotary duster, distribute product through an entry, e.g. crawl hole into attic and crawl space of building, at a rate of 1 lb/1,000 sq ft of floor area. All vents and blowers on the wind-ward side should be closed. All wood surfaces should be covered. In case of localized infestations probe to locate galleries and drill holes to inject product into the galleries. If reasonably heavy infestation has already developed, fumigation should be employed.

FLEAS: Surfaces of kennels should be dusted at the rate of one ounce per 50 square feet. Heavily infested lawns, basements, and crawl spaces should be dusted at the rate of 16 ounces per 1,000 square feet. Repeat as necessary.

SOWBUGS, PILLBUGS, GROUND BEETLES, EARWIGS, MILLIPEDES, CENTIPEDES AND SCORPIONS: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

Distributed By:

State Industrial Products

5915 Landerbrook Drive
Mayfield Heights, OH 44124
To Order Call: 1-866-747-2229

Royal Industrial Park, Bldg "M"
Local #5, Carr 869, km 1.5 Palmas
Cataño, PR, 00962
To Order Call: 787-275-3185

51R06

LBL122927LBL

© Copyright 2015-State Industrial Products Corp.